

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Newsarchive/browseportage.pdf>

This site uses cookies for advertising. If you continue to use the site, you accept the use of cookies.[more info](#)

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:

www.linuxhowtos.org

toolsntoys.linuxhowtos.org

<!-- forums.linuxhowtos.org

-->

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

39226

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Newsarchive/browseportage.pdf>

image:Druckversion //data/printer.gif (null)

.

image:pdf icon //data/pdf.png (null)

You are here:

Jan, 6th 2005

The new browse portage section enables you to quickly view various information about ebuilds and packages.

More features (like reverse dependency and search) will be added in the next few days.

Please read "Why adblockers are bad".

```
var google_ad_client = "pub-4309123515655559";
var google_alternate_color = "CCCCCC"; var google_ad_width = 160; var google_ad_height
= 600; var google_ad_format = "160x600_as"; var google_ad_channel = "3097575257"; var
google_color_border = "000000"; var google_color_text = "000000"; var google_color_bg =
"CCCCCC"; var google_color_link = "0000FF"; var google_color_url = "008000";
```

other Ads

<!--

Stellenangebote

Stellenangebote

für Fach- und

Führungskräfte

www.nachoben.com

-->

Trace My Cash

Wenn Sie sich schon immer mal gefragt haben, wo eigentlich Ihr geliebtes Bargeld geblieben ist, finden Sie hier vielleicht die Antwort.

www.tracemycash.com

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://turl.org/2>

turl.org

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Newsarchive/browseportage.pdf>

given IP or other hostnames for the server
www.reversednslookup.org

New Packages

- as

image:rdf newsfeed //data/rdf.png (null)

- as

image:rss newsfeed //data/rss.png (null)

- as

image:Atom newsfeed //data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2017 Sascha Nitsch Unternehmensberatung
UG(haftungsbeschänkt)

image:Valid XHTML1.1 //data/xhtml1.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

image:system status display //status/output.jpg (null)

```
bodyloaded(); document.getElementById("fulltextsearch").onkeypress=chk;
```