

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Newsarchive/genlop.pdf>

---

This site uses cookies for advertising. If you continue to use the site, you accept the use of cookies.[more info](#)

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:

[www.linuxhowtos.org](http://www.linuxhowtos.org)

[toolsntoys.linuxhowtos.org](http://toolsntoys.linuxhowtos.org)

<!-- [forums.linuxhowtos.org](http://forums.linuxhowtos.org)

-->

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

39203

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Newsarchive/genlop.pdf>

---

image:Druckversion //data/printer.gif (null)

image:pdf icon //data/pdf.png (null)

You are here:

Apr, 10th. 2007

Thanks to the new maintainers for genlop the outstanding bugfixes and improvements were integrated into the current ~ release of genlop.

One of the enhancements is the Compile Time Estimator integration from this site. Just use genlop as normal and add the -q option.

If your cpu is not listed, please send the info in. Instructions are on the Compile Time Estimator

Please read "Why adblockers are bad".

```
var google_ad_client = "pub-4309123515655559";
var google_alternate_color = "CCCCCC"; var google_ad_width = 160; var google_ad_height
= 600; var google_ad_format = "160x600_as"; var google_ad_channel ="3097575257"; var
google_color_border = "000000"; var google_color_text = "000000"; var google_color_bg =
"CCCCCC"; var google_color_link = "0000FF"; var google_color_url = "008000";
```

other Ads

<!--

Stellenangebote

Stellenangebote

f&uuml;r Fach- und

F&uuml;hrungskr&auml;fte

[www.nachoben.com](http://www.nachoben.com)

-->

Trace My Cash

Wenn Sie sich schon immer mal gefragt haben, wo eigentlich Ihr geliebtes Bargeld geblieben ist, finden Sie hier vielleicht die Antwort.

[www.tracemycash.com](http://www.tracemycash.com)

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://tourl.org/2>

[tourl.org](http://tourl.org)

.

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Newsarchive/genlop.pdf>

---

## Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

[www.reversednslookup.org](http://www.reversednslookup.org)

## New Packages

- as

image:rdf newsfeed //data/rdf.png (null)

- as

image:rss newsfeed //data/rss.png (null)

- as

image:Atom newsfeed //data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2017 Sascha Nitsch Unternehmensberatung  
UG(haftungsbesch&auml;nkt)

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

image:system status display //status/output.jpg (null)

## How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Newsarchive/genlop.pdf>

---

```
bodyloaded(); document.getElementById("fulltextsearch").onkeypress=chk;
```