

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/locales.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org
forums.linuxhowtos.org

www.linuxhowtos.org

`<input type="hidden" name="encrypted" value="-----BEGIN`

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/locales.pdf>

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

4133

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion

image:pdf icon

You are here:

Specifying only needed locales

The locales a user can choose from are built by the glibc.

Usually all available locales starting from aa_DJ (Afar locale for Djibouti) over en_US (English locale for the USA) to zu_ZA.utf8 (Zulu locale for South Africa) will be installed.

Unless you're working at the UN and administer a central server for all member states, it is difficult to conceive why you would need a system where all of these locales are installed. This week's tip was written with all those of you in mind who'd like to save 90 percent of the space occupied by locales in their system, by limiting the number of installed locales to the bare minimum.

Ever since `sys-libs/glibc-2.3.4.20040619-r2` has been in Portage, a USE-flag called `userlocales` was provided to make sure only those locales mentioned in `/etc/locales.build` are to be built and installed. As a side-effect, this also leads to a much faster emerge of glibc, obviously.

Code Listing 1: Activate the `userlocales USE` flag especially for glibc

```
echo "sys-libs/glibc userlocales" >> /etc/portage/package.use
```

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/locales.pdf>

Now specify the locales you want to be able to use:

Code Listing 2: nano -w /etc/locales.build

The format of the locales is described in the file itself.

```
en_US/ISO-8859-1
en_US.UTF-8/UTF-8
de_DE/ISO-8859-1
de_DE@euro/ISO-8859-15
de_DE.UTF-8/UTF-8
```

For further information about locale-handling make sure you read our [Gentoo Linux Localization Guide](#).

Another interesting tool is `app-admin/localepurge` which can clean out any installed man-page or info-file in languages you don't need on your system. You should read the man-page to `localepurge` in any case, and configure languages you intend to keep in `/etc/locale.nopurge`.

By the way, if you want to prohibit the installation of all man-pages, info-files or documentation, for example when space on your disk is severely limited, you can add `noman`, `nodoc` and/or `noinfo` to `FEATURES` in your `/etc/make.conf`.

From <http://www.gentoo.org/news/en/gwn/20041108-newsletter.xml>
current rating:

Please read "Why adblockers are bad".

<div id="wikilogin" title="Edits you make while logged in will be assigned to that name. That means you get full credit for your contributions in the page history (when not logged in, the edits are just assigned to Anonymous.)">

```
var google_ad_client = "pub-4309123515655559"; var
google_alternate_color = "CCCCCC"; var google_ad_width = 160; var google_ad_height =
600; var google_ad_format = "160x600_as"; var google_ad_channel = "3097575257"; var
google_color_border = "000000"; var google_color_text = "000000"; var google_color_bg =
"CCCCCC"; var google_color_link = "0000FF"; var google_color_url = "008000";
```

other Ads

Stellenangebote

Stellenangebote

für Fach- und

Führungskräfte

www.nachoben.com

Trace My Cash

Wenn Sie sich schon immer mal gefragt haben, wo eigentlich Ihr geliebtes Bargeld geblieben ist, finden Sie hier vielleicht die Antwort.

www.tracemycash.com

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/locales.pdf>

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://turl.org/2>

turl.org

.

FeedCollector

Combine various newsfeeds to one customized webpage

www.feedcollector.org

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

www.reversednslookup.org

New Packages

- as

image:rdf newsfeed

- as

image:rss newsfeed

- as

image:Atom newsfeed

image:rdf newsfeed

|

image:rss newsfeed

|

image:Atom newsfeed

- Powered by

image:LeopardCMS

- Running on

image:Gentoo

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/locales.pdf>

-

Copyright 2004 S&P Softwaredesign

image:Valid XHTML1.1

:

image:Valid CSS

:

image:buttonmaker

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

image:system status display

Stellenangebote

bodyloaded(); document.getElementById("fulltextsearch").onkeypress=chk;

Ärger mit Freenet.de