

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/Vl/first_steps_vi_4.pdf

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org
forums.linuxhowtos.org

www.linuxhowtos.org

`<input type="hidden" name="encrypted" value="-----BEGIN`

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

4133

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion

image:pdf icon

You are here:

4. Startup File

Having explored vi commands somewhat, we are now ready to create a default editing environment through the use of .exrc, the configuration file which resides in user's home directory.

.exrc typically contains at least three types of entries:

set commands to create preferred editing environment

map commands to assign functions or macros to keys

ab commands to either map abbreviations or automatically

correct common spelling errors

When mapping escape sequences of some keys, we may need to

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/Vl/first_steps_vi_4.pdf

quote them, that is, to insert them literally. This can be accomplished in vi by issuing a text input command and pressing Ctrl-V before the key we wish to quote is pressed.

Now let's look at a sample .exrc:

```
set autoindent
set wrapmargin=8
set ignorecase
map #4 !}fmt^M
ab teh the
ab cutsomer customer
```

Lines 1 and 2 set autoindent mode on and turn on wordwrap at column 72. Line 3 specifies that all searches are to be case insensitive. Line 4 maps function key 4 to reformat from the cursor position to the end of the paragraph. Finally, lines 5 and 6 map some common misspellings to the correct spelling. Note that ^M on lines 4 and 5 are created by pressing Ctrl-V and then hitting Ctrl-M.

With a little creativity you can make vi look as personal as you wish.

NOTE: After creating .exrc make sure that EXINIT environment variable is not set as it would overwrite whatever settings you entered into .exrc. You can verify whether the EXINIT variable is set using this command from the UNIX command prompt:

```
$ set | grep EXINIT
```

If you see no output, you're fine.

Make sure that .exrc contains no blank lines - they are not allowed.

```
/* The article above and any accompanying files are freely
 * distributable, but please leave this notice and the text intact.
 * Home for this document: http://www.infobound.com/vi.html
 * Copyright (C) 1994, 1999 Tony Thomas
```

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/Vl/first_steps_vi_4.pdf

* Contact author through email: tony@infobound.com
* Last revision Feb 23, 1999
* UNIX is a trademark of X/Open
*/

current rating:

Please read "Why adblockers are bad".

<div id="wikilogin" title="Edits you make while logged in will be assigned to that name. That means you get full credit for your contributions in the page history (when not logged in, the edits are just assigned to Anonymous.)">

```
var google_ad_client = "pub-4309123515655559"; var  
google_alternate_color = "CCCCCC"; var google_ad_width = 160; var google_ad_height =  
600; var google_ad_format = "160x600_as"; var google_ad_channel = "3097575257"; var  
google_color_border = "000000"; var google_color_text = "000000"; var google_color_bg =  
"CCCCCC"; var google_color_link = "0000FF"; var google_color_url = "008000";
```

other Ads

Stellenangebote

Stellenangebote

für Fach- und

Führungskräfte

www.nachoben.com

Trace My Cash

Wenn Sie sich schon immer mal gefragt haben, wo eigentlich Ihr geliebtes Bargeld geblieben ist, finden Sie hier vielleicht die Antwort.

www.tracemycash.com

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://tourl.org/2>

tourl.org

FeedCollector

Combine various newsfeeds to one customized webpage

www.feedcollector.org

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/Vl/first_steps_vi_4.pdf

Reverse DNS lookup
Find out which hostname(s)
resolve to a
given IP or other hostnames for the server
www.reversednslookup.org

New Packages

- as
image:rdf newsfeed
- as
image:rss newsfeed
- as
image:Atom newsfeed

image:rdf newsfeed
|
image:rss newsfeed
|
image:Atom newsfeed
- Powered by
image:LeopardCMS
- Running on
image:Gentoo

-
Copyright 2004 S&P Softwaredesign

image:Valid XHTML1.1

:
image:Valid CSS

:
image:buttonmaker

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -
- Copyright and legal notices -
Time to create this page: ms

image:system status display

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/Vl/first_steps_vi_4.pdf

Stellenangebote

bodyloaded(); document.getElementById("fulltextsearch").onkeypress=chk;
Ärger mit Freenet.de