

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/cleandistfiles.pdf>

---

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:  
[toolsntoys.linuxhowtos.org](http://toolsntoys.linuxhowtos.org)  
[forums.linuxhowtos.org](http://forums.linuxhowtos.org)

[www.linuxhowtos.org](http://www.linuxhowtos.org)

`<input type="hidden" name="encrypted" value="-----BEGIN`

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/cleandistfiles.pdf>

---

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

4135

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion

image:pdf icon

You are here:

## How do I clean up my /usr/portage/distfiles directory

### Fix/Answer

You could delete all files in the directory, but if you upgrade/downgrade or reinstall an app, all files have to be redownloaded. That is not good, because it wastes bandwidth of the mirror servers and you connection.

A better alternative is to use `eclean` from the `gentoolkit` package.

"`eclean` is small tool to remove obsolete portage sources files and binary packages. Used on a regular basis, it prevents your `DISTDIR` and `PKGDIR` directories to infinitely grow, while not deleting files which may still be useful."

The full manpage can be viewed here:

<http://www.linuxhowtos.org/manpages/1/eclean.htm>

### Description:

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/cleandistfiles.pdf>

---

The directory `/usr/portage/distfiles` is gentoo's storage for source files and all downloads. After a few months this directory becomes really huge.

current rating:

Please read "Why adblockers are bad".

```
<div id="wikilogin" title="Edits you make while logged in will be assigned to that name. That means you get full credit for your contributions in the page history (when not logged in, the edits are just assigned to Anonymous.)">
```

```
var google_ad_client = "pub-4309123515655559"; var  
google_alternate_color = "CCCCCC"; var google_ad_width = 160; var google_ad_height =  
600; var google_ad_format = "160x600_as"; var google_ad_channel = "3097575257"; var  
google_color_border = "000000"; var google_color_text = "000000"; var google_color_bg =  
"CCCCCC"; var google_color_link = "0000FF"; var google_color_url = "008000";
```

other Ads

Stellenangebote

Stellenangebote

f&uuml;r Fach- und

F&uuml;hrungskr&auml;fte

[www.nachoben.com](http://www.nachoben.com)

Trace My Cash

Wenn Sie sich schon immer mal gefragt haben, wo eigentlich Ihr geliebtes Bargeld geblieben ist, finden Sie hier vielleicht die Antwort.

[www.tracemycash.com](http://www.tracemycash.com)

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://turl.org/2>

[turl.org](http://turl.org)

.

FeedCollector

Combine various newsfeeds to one customized webpage

[www.feedcollector.org](http://www.feedcollector.org)

.

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/cleandistfiles.pdf>

---

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

[www.reversednslookup.org](http://www.reversednslookup.org)

## New Packages

- as

image:rdf newsfeed

- as

image:rss newsfeed

- as

image:Atom newsfeed

image:rdf newsfeed

|

image:rss newsfeed

|

image:Atom newsfeed

- Powered by

image:LeopardCMS

- Running on

image:Gentoo

-

Copyright 2004 S&P Softwaredesign

image:Valid XHTML1.1

:

image:Valid CSS

:

image:buttonmaker

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

image:system status display

Stellenangebote

bodyloaded();

document.getElementById("fulltextsearch").onkeypress=chk;

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/cleandistfiles.pdf>

---

&Auml;rger mit Freenet.de