

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/unison/unison.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org
forums.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

4154

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion

image:pdf icon

You are here:

Using Unison to Synchronize Two Directories

A very common question often asked in the Forums and on IRC is how to synchronize directories and files on a host or between different hosts.

Unison is a robust user-level file-synchronization tool that works cross-platform available under the GNU Public License.

To get in touch with the usage of unison we'll create two directories, create some files and sync them with the help of unison.

```
# mkdir testdir1
# touch testdir1/foo testdir1/bar
# mkdir testdir1/null
# touch testdir1/null/foobar
# mkdir testdir2
```

Now we want to synchronize testdir1 and testdir2 so that these directories will contain the same files after unison finishes.

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/unison/unison.pdf>

```
// We will use the textclient in this example:
# unison -ui text testdir1 testdir2
[...]
testdir1      testdir2
file         ---->          bar   [f]
file         ---->          foo   [f]
dir          ---->          null  [f]
[...]
#
```

The output of unison tells us that it successfully copied 2 files (bar and foo) and 1 directory from testdir1 to testdir2.

For tutorials and more information about the usage of unison check the Unison - User Manual and Reference.

current rating:

Please read "Why adblockers are bad".

<div id="wikilogin" title="Edits you make while logged in will be assigned to that name. That means you get full credit for your contributions in the page history (when not logged in, the edits are just assigned to Anonymous.)">

```
var google_ad_client = "pub-4309123515655559"; var
google_alternate_color = "CCCCCC"; var google_ad_width = 160; var google_ad_height =
600; var google_ad_format = "160x600_as"; var google_ad_channel = "3097575257"; var
google_color_border = "000000"; var google_color_text = "000000"; var google_color_bg =
"CCCCCC"; var google_color_link = "0000FF"; var google_color_url = "008000";
```

other Ads

Stellenangebote

Stellenangebote

für Fach- und

Führungskräfte

www.nachoben.com

Trace My Cash

Wenn Sie sich schon immer mal gefragt haben, wo eigentlich Ihr geliebtes Bargeld geblieben ist, finden Sie hier vielleicht die Antwort.

www.tracemycash.com

Other free services

toURL.org

Shorten long

URLs to short

links like

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/unison/unison.pdf>

<http://turl.org/2>
turl.org

.

FeedCollector
Combine various newsfeeds to one customized webpage
www.feedcollector.org

.

Reverse DNS lookup
Find out which hostname(s)
resolve to a
given IP or other hostnames for the server
www.reversednslookup.org

New Packages

- as

image:rdf newsfeed

- as

image:rss newsfeed

- as

image:Atom newsfeed

image:rdf newsfeed

|

image:rss newsfeed

|

image:Atom newsfeed

- Powered by

image:LeopardCMS

- Running on

image:Gentoo

-

Copyright 2004 S&P Softwaredesign

image:Valid XHTML1.1

:

image:Valid CSS

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/unison/unison.pdf>

:

image:buttonmaker

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -
- Copyright and legal notices -

Time to create this page: ms

image:system status display

Stellenangebote

bodyloaded(); document.getElementById("fulltextsearch").onkeypress=chk;
Ärger mit Freenet.de