

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Home/Welcome.pdf>

---

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:  
[toolsntoys.linuxhowtos.org](http://toolsntoys.linuxhowtos.org)

[www.linuxhowtos.org](http://www.linuxhowtos.org)

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

75110

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Home/Welcome.pdf>

---

You are here:

Welcome to the gentoo section of [www.linuxhowtos.org](http://www.linuxhowtos.org).

This section deals with howtos specially designed for gentoo linux.

For more howtos and tutorial check out the main page <http://www.linuxhowtos.org>

Most articles can be edited by everyone to fix mistakes or outdated information.

This site also has the full browsable portage tree including fulltext search and bugzilla integration for showing known bugs/problems.

All dependencies and know reverse dependencies are shown, as well as ebuild warnings you might have missed.

Even the estimated compilation time can be shown.

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://turl.org/2>

[turl.org](http://turl.org)

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

[www.reversednslookup.org](http://www.reversednslookup.org)

-->

## New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

- as

image:Atom newsfeed / /data/atom.png (null)

# How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Home/Welcome.pdf>

---

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display /status/output.jpg (null)

-->