

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Home/browseportage.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

84334

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Home/browseportage.pdf>

You are here:

[browse the portage tree](#)

[image:Support us on Content Nation / /images/cn.png \(null\)](#)

<!--

[Other free services](#)

[toURL.org](#)

[Shorten long](#)

[URLs to short](#)

[links like](#)

<http://turl.org/2>

turl.org

.

[Reverse DNS lookup](#)

[Find out which hostname\(s\)](#)

[resolve to a](#)

[given IP or other hostnames for the server](#)

www.reversednslookup.org

-->

New Packages

- as

[image:rdf newsfeed / /data/rdf.png \(null\)](#)

- as

[image:rss newsfeed / /data/rss.png \(null\)](#)

- as

[image:Atom newsfeed / /data/atom.png \(null\)](#)

[image:rdf newsfeed / /data/rdf.png \(null\)](#)

|

[image:rss newsfeed / /data/rss.png \(null\)](#)

|

[image:Atom newsfeed / /data/atom.png \(null\)](#)

Copyright 2004-2025 Sascha Nitsch Unternehmensberatung GmbH

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Home/browseportage.pdf>

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display / /status/output.jpg (null)

-->