

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Misc/morespeedup.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

58713

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

You are here:

Speeding up the boot process (next generation)

The idea is to preload the useful files into kernel buffer cache before they are needed. Since I/O can happen parallel to the other CPU intensive tasks during bootup, this leads to faster bootup and faster startup time for your chosen applications. Other projects use static lists to preload the files.

This tutorial uses an automated process of generating the "useful" prefetch database.

This is `/etc/init.d/my-readahead`.

Code:

```
#!/sbin/runscript
# Copyright 1999-2006 Gentoo Foundation
# Distributed under the terms of the GNU General Public License v2
# $Header: $

depend() {
    before syslog-ng
}

start() {
    ebegin "Starting readahead ROYALE"
    cat /etc/conf.d/* > /dev/null 2>&1 &
    cat /usr/lib/gconv/gconv-modules.cache > /dev/null 2>&1 &
    cat /usr/share/icons/gnome/icon-theme.cache > /dev/null 2>&1
    &
    cat /usr/share/icons/hicolor/icon-theme.cache > /dev/null 2>&1
    &
    cat `cat /etc/conf.d/sofile-list.load` > /dev/null 2>&1 &
    if [ -f /forcesampler ];then
        /usr/sbin/sample-init-process /etc/conf.d/sofile-list.load &
        rm -f /forcesampler
    fi
    eend 0
}

stop() {
    eend 0
}
```

The executable shell script `/usr/sbin/sample-init-process`:

Code:

```
#!/bin/bash
final_db="$1"

# total number of lists to keep in /etc/conf.d/
total_to_keep=4

# total number of samples to make in /forcesampler boot.
# It will take twice this amount of seconds to finish sampling.
total_samples_per_boot=200

# touch empty file if not there
[ ! -f "$final_db" ] && touch "$final_db"

let i=0
while [ "$i" -ne "$total_to_keep" ] ; do
    if [ ! -f "$final_db$i" ] ; then
        break;
    else
        j=$((i+1))
        if [ "$j" = "$total_to_keep" ] ;then
            i=0
        fi
    fi
done
```

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Misc/morespeedup.pdf>

And then do this:

Code:

```
chmod +x /usr/sbin/sample-init-process
rc-update add my-readahead default
touch /forcesampler
```

What you have done is asked my-readahead to create a sampler process which samples what files (fonts, binaries, libraries, configs) are in use, every second. It collects 200 samples (will be busy for at least 10 minutes after boot) and keeps updating the database with a list of useful files.

Once you boot after this the first time, you will probably see a slow down because its collecting samples for use on the next and subsequent boots. Use your system as you normally would. Open firefox, gaim, OO or whatever. Once the sampler script has finished ('ps -aef|grep sample-init-process' will tell you if its running), reboot. Now this and all subsequent boots will be much faster.

If it takes too long for the sample-init-process to finish, reduce the total_samples_per_boot variable in the sampler script to 100 and try again by touching /forcesampler.

In future, whenever you feel like updating the prefetch database, just 'touch /forcesampler' and database will be updated on next reboot.

based on <http://forums.gentoo.org/viewtopic-t-478491.html>, some script modifications done.
current rating:

image:Support us on Content Nation //images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://tourl.org/2>

tourl.org

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

www.reversednslookup.org

-->

New Packages

- as

image:rdf newsfeed //data/rdf.png (null)

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Misc/morespeedup.pdf>

- as

image:rss newsfeed //data/rss.png (null)

- as

image:Atom newsfeed //data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display //status/output.jpg (null)

-->

bodyloaded();