

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Misc/portagenfs.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

58725

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Misc/portagenfs.pdf>

You are here:

Portage via NFS

You have multiple gentoo installations in your network and don't want to waste disc space for the portage tree and bandwidth to sync them all?

Just read ahead :)

installing nfs server and client

First you have to install an nfs server on the server you picked and nfs utils on the clients.

```
emerge nfs-utils
```

Next you need to enable nfs server/client support in the kernel of the machines you use. (Usually this is already enabled)

Add the needed initscripts to the runlevel and nfs should work.

```
server: rc-update add nfs default
client: rc-update add nfsmount default
```

exporting your portage tree

On the server side you need to export your portage tree:

```
nano -w /etc/exports
add
/usr/portage      192.168.0.0/24(rw, sync, no_root_squash)
```

(modify the ip/netmask according to your network settings)

start the nfs server and nfs clients

Now, start the init scripts.

cleaning clients old portage tree

Next step has to be repeated on all client machines, NOT on the server

```
cd /usr/portage
rm -r *
```

This cleans the existing portage tree.

mounting the server's tree

add this to the /etc/fstab file on each client

```
192.168.0.1:/usr/portage /usr/portage nfs rw
```

mount the new tree

```
mount /usr/portage
```

if all went fine, you should see the portage tree in /usr/portage

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Misc/portagenfs.pdf>

once again, this time with the cache

repeat the steps above with the directory `/var/cache/edb/dep/usr/portage` this way, portage uses the server's portage cache, which speeds up things a bit.

summary

In this setup one client fetches a file, all client can use it, this saves bandwidth and time, but creates more internal network load.

Every user can sync the tree now or you could create a crontab on the server to have it sync every week. Please don't sync more than once a day. current rating:

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

`http://turl.org/2`

`turl.org`

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

`www.reversednslookup.org`

-->

New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

- as

image:Atom newsfeed / /data/atom.png (null)

image:rdf newsfeed / /data/rdf.png (null)

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/Misc/portagenfs.pdf>

```
|
image:rss newsfeed //data/rss.png (null)
|
image:Atom newsfeed //data/atom.png (null)
  - Powered by
image:LeopardCMS //data/leopardcms.png (null)
  - Running on
image:Gentoo //data/gentoo.png (null)
-
  Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)
:
image:Valid CSS //data/css.png (null)
:
image:buttonmaker //data/buttonmaker.png (null)
  - Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -
  - Copyright and legal notices -
  Time to create this page: ms
<!--
image:system status display //status/output.jpg (null)
-->

bodyloaded();
```