jump to the content

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites: toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000 How to make X listen on port 6000

words:

34

views:

78182

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

## http://gentoo.linuxhowtos.org/Newsarchive/adblocker.pdf

## You are here:

May, 25th 2007

This is a short essay about why the use of adblockers is bad for the viewer (user of the adblocker).

A huge amount (not exact numbers are known to me) of those sites are made by individials or a group of individuals in their spare time.

They spend great amounts of time for the content which they offer to be read by you for free. Most of them have one thing in common: they get no money for writing and you pay no money for reading.

Some content creators publish just for the fun of it, some to become famous, some to help a.s.o.

"So what?" or "What does it have to do with me and my adblocker?" you might think. The sites cost money for hosting, domain name and service. Usually not much, but a few \$ per month can sum up.

For a lot of sites, advertising is the only income for those sites.

By using an adblocker, you take away their only income.

If you own a shop and every visitor goes to the magazine rack and reads the news for free and nobody buys anything, how long would YOU keep the rack?

Do you get the point?

If the sites get no income to keep up the costs of the sites, they will disapear or get no maintainance any more and will die slowly.

So you have no new stuff to read, interesting things to learn except those sites made by a few big publishers.

Would the internet still be that interesting?

By the way, reading this did cost ME money, did the ad on the site show up? no? Would it be such a pain to have an ad on the site, no not one of those nasty layer ads or pop ups, just a normal text or image block without flicker, audio or flash crap?

Sure, you are always free to donate some money, but lets face it, nobody wants to do that. Almost everybody wants to have stuff for free, no payments or concessions.

Disabling the adblocker would be a small step to keep the internet and its millions of small and interesting pages alive. It would be a tiny sacrifice but would make a difference.

Just out of curiosity and the technical possibilites, I checked and found out, that 40% of my visitor use an adblocker.

You never know, maybe there was something really interesting you might have missed. So please give it a try and disable the adblocker for your own interest. Keep the popup blocker active if it annoys you, but please give the site owner a chance to get a little money back.

Sometimes just displaying the ads is helping, not all banners get paid per click, some of them get paid by view.

If you like a site (like this, hint hint) make an exception rule for the adblocker to allow it to show its banners, please.

image:Support us on Content Nation / /images/cn.png (null)

```
<!--
Other free services
toURL.org
Shorten long
URLs to short
links like
http://tourl.org/2
        tourl.org
Reverse DNS lookup
Find out which hostname(s)
resolve to a
given IP or other hostnames for the server
        www.reversednslookup.org
New Packages
image:rdf newsfeed / /data/rdf.png (null)
image:rss newsfeed / /data/rss.png (null)
image:Atom newsfeed / /data/atom.png (null)
image:rdf newsfeed / /data/rdf.png (null)
image:rss newsfeed / /data/rss.png (null)
image:Atom newsfeed / /data/atom.png (null)
    - Powered by
image:LeopardCMS / /data/leopardcms.png (null)
- Running on
image:Gentoo / /data/gentoo.png (null)
   Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH
image:Valid XHTML1.1 / /data/xhtml.png (null)
```

## How to make X listen on port 6000

http://gentoo.linuxhowtos.org/Newsarchive/adblocker.pdf

```
:
image:Valid CSS / /data/css.png (null)
:
image:buttonmaker / /data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -
- Copyright and legal notices -
Time to create this page: ms
<!--
image:system status display / /status/output.jpg (null)
-->
```