

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:  
[toolsntoys.linuxhowtos.org](http://toolsntoys.linuxhowtos.org)

[www.linuxhowtos.org](http://www.linuxhowtos.org)

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

58871

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

You are here:

## Exploring portage features

The new release of Portage 2.1 brings many features and improvements.

While most of them are documented in the `example make.conf` and the `portageman` page they may not be obvious to most users, so we will show how to use some of these features.

All the features have to be set in `/etc/make.conf`.

Portage is now able to download some package's source code while compiling another. This can considerably reduce installation time when emerging many packages. There's no need to run `emerge --fetchonly` while doing a normal `emerge` anymore. You just have to add the following option:

### Code Listing 1:

```
Setting parallel-fetch in /etc/make.conf
FEATURES="parallel-fetch"
```

This feature appears to be non-functional in some of the Portage 2.1 releases, but is expected to be fixed soon.

Another new option to reduce installation time yet a bit more is `confcache`. With this new feature portage caches many of the tests configuration scripts do, thus making execution faster. This comes with the small risk of caching wrong values, so be warned that this feature is known to have a few bugs.

Since this package is currently keyworded on most architectures, the required steps to enable it are:

### Code Listing 2

```
Enabling confcache
Add this in /etc/make.conf
FEATURES="confcache"
```

We need to unmask the package before emerging it

```
echo "=dev-utils/confcache-0.4.2-r1 ~arch" >>/etc/portage/package.keywords
```

### Installing confcache

```
emerge -av confcache
```

On further installations, you'll see stuff like:

```
checking for i686-pc-linux-gnu-gcc... (cached) i686-pc-linux-gnu-gcc
checking whether we are using the GNU C compiler...(cached) yes
checking whether i686-pc-linux-gnu-gcc accepts -g... (cached) yes
```

Another important new feature is the ability to log all the messages `ebuilds` print. Which messages to log and how to do it is configurable. For example, to save just the warnings and errors in a separate file for each package we emerge, you have to add:

## Code Listing 5.3:

```
Configuring logging features in /etc/make.conf
This sets what to log
PORTAGE_ELOG_CLASSES="warn error log"
And this is how to do it
PORTAGE_ELOG_SYSTEM="save"
```

There are many more options like sending log messages via email. Please check out `make.conf.example` for further information.

From Gentoo Weekly Newsletter June, 20th 2006

minor problem with `confcache` - it no longer seems to exist in the build tree unless perhaps it was renamed.

current rating:

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

`http://turl.org/2`

`turl.org`

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

`www.reversednslookup.org`

-->

## New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

- as

image:Atom newsfeed / /data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display //status/output.jpg (null)

-->

bodyloaded();