

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/gentoologo.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

75121

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

You are here:

Bootup with the Gentoo 2006.0 logo

When you boot from the 2006.0 LiveCD you see an awesome Gentoo bootlogo and progress-bar -- and you wish you could impress your friends with it during your usual bootup? Here we go:

Note: splashutils only work on x86 and amd64 architectures perfectly at the moment. Support for ppc is in progress.

Check your kernel-config to make sure that "Initial RAM disk (initrd) support" is built in. You can find the option in "Device Drivers" --> "Block devices" --> "RAM disk support".

Furthermore check that you are using an appropriate framebuffer for your video-card ("Graphics Support") or stick with the VESA-framebuffer. Usually splashutils should do the checks during the emerge-progress, but we want to be sure. Now tell your bootloader that it should load the initrd with the 2006.0-splash: The recommended way is Device drivers/Graphic support/support for bla bla/VESA vga/vesafb-tng. Check it is vesafb-tng and not only vesafb|-(x86 only I guess) As well you need Device drivers/Graphic support/console display.../video mod&& framebuffer console... DO NOT click boot logo

Then we need to emerge splashutils and splash-themes-livecd:

Code Listing 1: emerge splashutils and splash-themes-livecd

```
# emerge splash-themes-livecd
splashutils is a dependency of splash-themes-livecd
```

Now we have to create an initial boot-disk. You are free to change the resolution to your choice, but choose one that is available as a config file in /etc/splash/livecd-2006.0/

Code Listing 2: Creation of an initrd with the 2006.0-splash

```
Be sure that /boot is mounted before you call the command
# splash_geninitramfs -v -g /boot/splash-livecd-2006.0-1024x768 \
  -r 1024x768 /etc/splash/livecd-2006.0
```

Code Listing 3: Configure the bootloader

```
# nano -w /boot/grub/grub.conf
First change your kernel-boot-line to something like this (depends on
your used framebuffer and further kernel-parameters):
kernel /boot/kernel-2.6.16-r6 root=/dev/hda3 video=vesafb:1024x768-32@72
  splash=silent,theme:livecd-2006.0 quiet CONSOLE=/dev/tty1
You must use more than 8bpp (in this example it is 32,
specified by 1024x768-32@72).
```

Add the following line to your kernel-config:

```
initrd /boot/splash-livecd-2006.0-1024x768
```

Now we have that nice bootup-splash installed. Finally we want a permanent Gentoo statusbar at the bottom of our terminal-session, like on the LiveCD. Therefore we have to change the default theme in /etc/splash:

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/gentoologo.pdf>

Code Listing 4: Change the default splash

```
# cd /etc/splash
# rm default
# ln -s livecd-2006.0 default
```

This splash should be started after bootup has finished:

Code Listing 5: Add splash to the default runlevel

```
# rc-update add splash default
```

If you want to finetune the splash-theme, you should have a look at `/etc/conf.d/splash`. Happy Gentooing!

Thanks to Michael Januszewski for his work on splashutils and Nicholas D. Wolfwood for the 2006.0-theme.

From <http://www.gentoo.org/news/en/gwn/20050418-newsletter.xml> Updated by petr.fiala@gmail.com /*just fuck spam*/29.6.2006 hope it helps and again big thx to Michael Januszewski

P.S. emerge bootsplash-themes for more themes than just the install logo.

current rating:

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://turl.org/2>

turl.org

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

www.reversednslookup.org

-->

New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/gentoologo.pdf>

- as

image:Atom newsfeed //data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display //status/output.jpg (null)

-->