

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/newuse.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

78218

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

.

image:pdf icon / /data/pdf.png (null)

You are here:

Portage's new '--newuse' option

This week we want to explain a new Portage option which allows you to track changes to USE flag settings you may have altered after installing an application. We're talking about --newuse, one of a number of very useful new features in Portage 2.0.51. Before we start, make sure that you've installed the latest Portage revision on your box.

Imagine that up until today, you never had printer. Now you bought one, and of course you want to use your Gentoo system to test your new printer. First of all, you'd want printing support for some of the applications you've installed. In order to get that you would alter your USE flags and add cups and maybe some more flags to your USE variable in /etc/make.conf.

So what's next, then? You'll need to find an easy way to create a listing with all packages affected by this USE flag change:

Type `emerge --newuse` to list all packages affected by a USE flag change:

Code Listing 1: List all packages affected by a USE flag change

```
# emerge --newuse world -Dpv
```

These are the packages that I would merge, in order:

```
Calculating world dependencies ...done!  
[ebuild N    ] net-print/cups-1.1.21-r2  -debug +pam -samba -slp +ssl 8,348 kB  
[ebuild  R   ] gnome-base/nautilus-2.8.0  +cups* -debug -flac -gstreamer -mad  
+oggvorbis 5,637 kB
```

No surprise that the CUPS package itself wants to get installed now, but you will also notice the appended asterisk to the +cups USE flag on the Nautilus package: This simply points out that the USE flag has changed, and you can now merge CUPS and all the packages which could benefit from an active cups USE flag. Don't forget to configure your new printer.

from <http://www.gentoo.org/news/en/gwn/20041025-newsletter.xml>

current rating:

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://tourl.org/2>

tourl.org

.

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/newuse.pdf>

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

www.reversednslookup.org

-->

New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

- as

image:Atom newsfeed / /data/atom.png (null)

image:rdf newsfeed / /data/rdf.png (null)

|

image:rss newsfeed / /data/rss.png (null)

|

image:Atom newsfeed / /data/atom.png (null)

- Powered by

image:LeopardCMS / /data/leopardcms.png (null)

- Running on

image:Gentoo / /data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 / /data/xhtml.png (null)

:

image:Valid CSS / /data/css.png (null)

:

image:buttonmaker / /data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display / /status/output.jpg (null)

-->

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/TipsTricks/newuse.pdf>
