

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/TipsTricks/recover\\_root\\_passwd.pdf](http://gentoo.linuxhowtos.org/TipsTricks/recover_root_passwd.pdf)

---

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:  
[toolsntoys.linuxhowtos.org](http://toolsntoys.linuxhowtos.org)

[www.linuxhowtos.org](http://www.linuxhowtos.org)

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

58706

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/TipsTricks/recover\\_root\\_passwd.pdf](http://gentoo.linuxhowtos.org/TipsTricks/recover_root_passwd.pdf)

---

You are here:

## Recovering the root password

This tip shows you a couple of ways to reset the root password if you've forgotten it. The easiest way is of course to boot off a LiveCD, chroot into the primary hard disk as described in the Gentoo Install Guide and use `passwd`.

If you don't have a LiveCD, or the system doesn't have CDROM drive, you can reboot the system into single user mode to reset the password. Simply pass the options "`init=/bin/sh`" to the kernel from the bootloader menu. When the system boots it will drop you into a root shell. The disk will be mounted read-only so remount it read-write with

```
mount -o rw,remount /dev/ROOT
```

(be sure to change `ROOT` to your actual root partition). Edit `/etc/shadow` and remove the encrypted password. Reset the root password with `passwd` and reboot the system.

You should now be able to login with the new password.

From <http://www.gentoo.org/news/en/gwn/20040301-newsletter.xml>  
current rating:

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://turl.org/2>

turl.org

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

[www.reversednslookup.org](http://www.reversednslookup.org)

-->

## New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/TipsTricks/recover\\_root\\_passwd.pdf](http://gentoo.linuxhowtos.org/TipsTricks/recover_root_passwd.pdf)

---

- as

image:Atom newsfeed //data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display //status/output.jpg (null)

-->

bodyloaded();