

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/Vl/first\\_steps\\_vi\\_6.pdf](http://gentoo.linuxhowtos.org/Vl/first_steps_vi_6.pdf)

---

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:  
[toolsntoys.linuxhowtos.org](http://toolsntoys.linuxhowtos.org)

[www.linuxhowtos.org](http://www.linuxhowtos.org)

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

75120

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

You are here:

## 6. Editing Multiple Files

Editing multiple files in vi is possible in two different ways:

invoke vi with multiple files on the command line

use command :e from within vi

Once the files are loaded, movement from one file to another can be accomplished using following commands:

```
:n      - next file
:e#     - previous file
Ctrl-^ - last edited file, keep cursor on last edited line
```

```
/* The article above and any accompanying files are freely
 * distributable, but please leave this notice and the text intact.
 * Home for this document: http://www.infobound.com/vi.html
 * Copyright (C) 1994, 1999 Tony Thomas
 * Contact author through email: tony@infobound.com
 * Last revision Feb 23, 1999
 * UNIX is a trademark of X/Open
 */
```

current rating:

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://tourl.org/2>

tourl.org

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/Vl/first\\_steps\\_vi\\_6.pdf](http://gentoo.linuxhowtos.org/Vl/first_steps_vi_6.pdf)

---

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

[www.reversednslookup.org](http://www.reversednslookup.org)

-->

## New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

- as

image:Atom newsfeed / /data/atom.png (null)

image:rdf newsfeed / /data/rdf.png (null)

|  
image:rss newsfeed / /data/rss.png (null)

|  
image:Atom newsfeed / /data/atom.png (null)

- Powered by

image:LeopardCMS / /data/leopardcms.png (null)

- Running on

image:Gentoo / /data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 / /data/xhtml.png (null)

:  
image:Valid CSS / /data/css.png (null)

:  
image:buttonmaker / /data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display / /status/output.jpg (null)

-->

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/Vl/first\\_steps\\_vi\\_6.pdf](http://gentoo.linuxhowtos.org/Vl/first_steps_vi_6.pdf)

---