

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/g++.pdf>

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

67286

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

.

image:pdf icon / /data/pdf.png (null)

You are here:

When I emerge gcc (both versions 3.3.5-r1 and 3.4.3.20050110) the g++ binaries are not built, but the emerge completes successfully.

Fix/Answer

Index: eclass/toolchain.eclass

=====

RCS file: /var/cvsroot/gentoo-x86/eclass/toolchain.eclass,v

retrieving revision 1.127

diff -u -r1.127 toolchain.eclass

--- eclass/toolchain.eclass 16 Mar 2005 06:35:22 -0000 1.127

The portage tree should be updated by now, sync and try to remerge gcc.
Or use the following patch and remerge gcc.

+++ eclass/toolchain.eclass 16 Mar 2005 16:25:15 -0000

@@ -1942,7 +1942,7 @@

}

is_cxx() {

- gcc-lang-supported cxx || return 1

+ gcc-lang-supported 'c++' || return 1

use build && return 1

use ! nocxx

}

Description:

current rating:

image:Support us on Content Nation / /images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://tourl.org/2>

tourl.org

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/g++.pdf>

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

www.reversednslookup.org

-->

New Packages

- as

image:rdf newsfeed / /data/rdf.png (null)

- as

image:rss newsfeed / /data/rss.png (null)

- as

image:Atom newsfeed / /data/atom.png (null)

image:rdf newsfeed / /data/rdf.png (null)

|

image:rss newsfeed / /data/rss.png (null)

|

image:Atom newsfeed / /data/atom.png (null)

- Powered by

image:LeopardCMS / /data/leopardcms.png (null)

- Running on

image:Gentoo / /data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 / /data/xhtml.png (null)

:

image:Valid CSS / /data/css.png (null)

:

image:buttonmaker / /data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display / /status/output.jpg (null)

-->

How to make X listen on port 6000

<http://gentoo.linuxhowtos.org/faq/g++.pdf>
