

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/kde/opera\\_like\\_gestures\\_in\\_konqueror.pdf](http://gentoo.linuxhowtos.org/kde/opera_like_gestures_in_konqueror.pdf)

---

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:  
[toolsntoys.linuxhowtos.org](http://toolsntoys.linuxhowtos.org)

[www.linuxhowtos.org](http://www.linuxhowtos.org)

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

58725

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/kde/opera\\_like\\_gestures\\_in\\_konqueror.pdf](http://gentoo.linuxhowtos.org/kde/opera_like_gestures_in_konqueror.pdf)

---

You are here:

## enabling opera like mouse gestures in Konqueror

Start the Control Center, pick Regional & Accessibility and select "Input Actions"

Expand the Konqueror gestures

Pick one gesture to modify, e.g. "New Tab"

On the right, switch display to "Gestures"

You can see the current gesture(s) as an image.

Click on Edit

Click on "Clear" to reset the gesture.

Draw your new gesture 3 times (use the left mouse), you will see them in the lower left.

If they were 3 times the same, click on OK.

Change all gestures to ones you like and click on Apply.

The default is to use the middle mouse button (mousewheel button).

To change that, go to "Global Settings".

Pick "Gesture Settings" and select the desired mouse button in the dropdown.

Start Konqueror and try the settings.

have fun.

current rating:

image:Support us on Content Nation //images/cn.png (null)

<!--

Other free services

toURL.org

Shorten long

URLs to short

links like

<http://turl.org/2>

turl.org

.

Reverse DNS lookup

Find out which hostname(s)

resolve to a

given IP or other hostnames for the server

[www.reversednslookup.org](http://www.reversednslookup.org)

-->

## New Packages

- as

image:rdf newsfeed //data/rdf.png (null)

# How to make X listen on port 6000

[http://gentoo.linuxhowtos.org/kde/opera\\_like\\_gestures\\_in\\_konqueror.pdf](http://gentoo.linuxhowtos.org/kde/opera_like_gestures_in_konqueror.pdf)

---

- as

image:rss newsfeed //data/rss.png (null)

- as

image:Atom newsfeed //data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display //status/output.jpg (null)

-->

bodyloaded();