

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/nano/config_nano.pdf

[jump to the content](#)

Gentoo.LinuxHowtos.org howtos, tips&tricks and tutorials for gentoo linux

from small one page howto to huge articles all in one place

Other .linuxhowtos.org sites:
toolsntoys.linuxhowtos.org

www.linuxhowtos.org

Last additions:

How to make X listen on port 6000

How to make X listen on port 6000

words:

34

views:

62168

userrating:

May, 25th 2007:

Words

496

why adblockers are bad

April, 26th 2007:

Words

77

Website translation planned

Apr, 10th. 2007:

Words

63

Compile Time Estimator integrated into genlop

image:Druckversion / /data/printer.gif (null)

image:pdf icon / /data/pdf.png (null)

You are here:

Configuring the nano text editor

nano is a small, free and friendly editor which aims to replace Pico, the default editor included in the non-free Pine package. Rather than just copying Pico's look and feel, nano also implements some missing (or disabled by default) features in Pico, such as "search and replace" and "goto line number".

Lets go ahead and configure it.

```
($:~)=> nano -w ~/.nanorc
```

```
# Use auto-indentation
set autoindent
```

```
# Backup files to filename~
set backup
```

```
# Use cut to end of line with ^K by default
set cut
```

```
# Enable ~/.nano_history for saving and reading search/replace strings.
# set historylog
```

```
# Don't convert files from DOS/Mac format
set noconvert
```

```
# Don't follow symlinks when writing files
# set nofollow
```

```
# Don't display the help lists at the bottom of the screen
# set nohelp
```

```
# Don't wrap text at all
set nowrap
```

```
# Use smooth scrolling as the default
set smooth
```

```
# Use this spelling checker instead of the internal one. This option
# does not properly have a default value.
set speller "aspell -c"
```

```
# Allow nano to be suspended with ^Z
# set suspend
```

```
# Use this tab size instead of the default; it must be greater than 0
# set tabsize 8
```

```
# Save automatically on exit, don't prompt
# set tempfile
```

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/nano/config_nano.pdf

```
# Enable ~/.nano_history for saving and reading search/replace strings.
# set historylog

# Disallow file modification, why would you want this in an rc file? ;)
# set view

#Color Syntax Highlighting
syntax "c-file" "\.(c|h)$"
color red "\"
color green "\"
color brightyellow "\"
color brightcyan "^#( )*(define|include|ifn?def|endif|elif|else|if)"
color brightyellow "" ""(.|^[^"])*""
color brightyellow start=""(\\.|[^\"])*\\( | )*$" end=""^(\\.|[^\"])*""
color brightblue "//.*"
color brightblue start="/\*" end="\*/"

syntax "HTML" "\.html$"
color blue start=""
color red "&[^; ]*;"

syntax "TeX" "\.tex$"
color green "\\.|\\[[A-Za-z]*"
color magenta "[{}]"
color blue "%.*"

syntax "mutt"
color green "^>.*"

syntax "php" ".*/*.php$"
color brightwhite "\\{|\\}|\\."
color red "(('[^']*'))"
color red "\\\"[^\"]*\\\""
color brightblue "(\\$([[[:alpha:]]_]|->)*)"
color brightgreen "((\\$([[[:alpha:]]_0-9]]+\\->)+)[[:alpha:]]_0-9]+\\()"
color yellow "(if|else if|else|return|case|break)"
color yellow "\\|\\|\\|\\|?|!|\\|\\|&&|=|;|\\(|\\)"
color red "false|true"
color brightwhite "[[:space:]]+debug|[[:space:]]+echo|\\$this\\->debug"
color cyan "//.*"
color cyan start="/\*" end="\*/"

syntax "groff" "\.ms$" "\.mm$" "\.me$" "\.tmac$" "^tmac." ".rof"
color cyan "^\\.ds [^ ]*"
color cyan "^\\.nr [^ ]*"
color brightmagenta "\\."
color brightmagenta "\\f."
color brightmagenta "\\f\\(.."
color brightmagenta "\\s(\\+|\\-)?[0-9]"
color cyan "(\\|\\|\\|\\|)n."
color cyan "(\\|\\|\\|\\|)n\\(.."
color cyan start="(\\|\\|\\|\\|)n\\[" end="]"
color brightgreen "^\\. *[^ ]*"
color yellow "^\\.\\.\\.\\.\\. *$"
```

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/nano/config_nano.pdf

```
color green "(\\|\\\\\\\\)\\*."
color green "(\\|\\\\\\\\)\\*\\.\\.\"
color green start="(\\|\\\\\\\\)\\*\\[\" end=]"
color brightred "\\\\"
color brightred start="\\[\" end=]"
color brightcyan "\\\\"$[1-9]"

syntax "perl" "\.p[lm]$"
color red
```

dir|mod|op|own|root)|lose(dir)?|onnect|os|rypt)|d(bm(close|open)|efined|elete|ie|o

How to make X listen on port 6000

http://gentoo.linuxhowtos.org/nano/config_nano.pdf

```
color magenta "\"
color cyan start="[$@%]" end="( |\\W|-)"
color yellow "\".*"|qq\\|.*\|"
color white "[sm]/.*/"
color white start="(^use| = new)" end=";"
color green "#.*"
color yellow start="<< 'STOP'" end="STOP"

syntax "Java source" "\.java$"
color green "\"
color red "\"
color cyan "\"
color red "\"[^]*\""
color yellow "\"
color blue "//.*"
color blue start="/\*" end="\*/"
color brightblue start="/\*\*" end="\*/"
color brightgreen,brightgreen "[          ]+ $"

syntax "nanorc" "[\.]*nanorc$"
color white "^ *(set|unset).*$"
color cyan "^ *(set|unset)
```

```
write) |shutdown|sin|sleep|socket(pair)?|sort|spli(ce|t)|sprintf|sqrt|srand|stat|st
```


How to make X listen on port 6000

http://gentoo.linuxhowtos.org/nano/config_nano.pdf

- as

image:rss newsfeed //data/rss.png (null)

- as

image:Atom newsfeed //data/atom.png (null)

image:rdf newsfeed //data/rdf.png (null)

|

image:rss newsfeed //data/rss.png (null)

|

image:Atom newsfeed //data/atom.png (null)

- Powered by

image:LeopardCMS //data/leopardcms.png (null)

- Running on

image:Gentoo //data/gentoo.png (null)

-

Copyright 2004-2020 Sascha Nitsch Unternehmensberatung GmbH

image:Valid XHTML1.1 //data/xhtml.png (null)

:

image:Valid CSS //data/css.png (null)

:

image:buttonmaker //data/buttonmaker.png (null)

- Level Triple-A Conformance to Web Content Accessibility Guidelines 1.0 -

- Copyright and legal notices -

Time to create this page: ms

<!--

image:system status display //status/output.jpg (null)

-->